

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Тверь (4822)63-31-35
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Челябинск (351)202-03-61
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Чита (3022)38-34-83
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81		Тамбов (4752)50-40-97	Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.sep.nt-rt.ru | | spj@nt-rt.ru

Технические характеристики на литые погружные насосы, погружные электронасосы для глубоких скважин SEPCAST компании **SEP Pumps and Motors**

SEPCAST

Serisi / Series
SEPCAST Döküm Dalgıç Pompalar SEPCAST Casted Submersible Pumps



Application Fields

- Water supply for domestic use
- Water supply for industrial use
- Villages, towns and cities water network
- Water supply of hotels, hospitals, holiday resorts
- Irrigation, sprinkler, dripping systems
- Circulation of clean water, demineralized water
- Boosting of clean water, demineralized water
- Lowering ground water level
- Fire-fighting systems
- Heating and air conditioning

Operating Limits

Capacity (Q)	: up to 576 m ³ /h
Head (Hm)	: up to 650 mWc
Operating Temperature (T)	: up to 30 °C
Allowable Solid Content	: 50 gr/m ³

* For higher pressure and temperature options contact with SEP Pump

Design

- SEPCAST series deep well submersible electric pumps are designed and built for safety operation of supplying underground water. They're also used to pump the water from stagnant water sources such as reservoirs, lakes, sea and dams. Pump and motor set are installed and run completely under water. They are high efficient and long life pumps for continuous operations.
- SEPCAST submersible pumps run silent. They don't have shaft-cut problems because of running in curvature boreholes. Installation and service operations are very easy. Discharge part of the pump has a built-in checkvalve inside to prevent back flow. Pipe connection to the discharge of the pump is generally threaded type. Flanges can be used upon request. As a general rule of the pumps, pumps shouldn't run at closed valve and reverse direction.
- Bowls of the SEPCAST submersible pumps are casted. Materials of casting may vary according to chemical and physical properties of the pumped water. However, cast iron and bronze materials are widely used.
- SEPCAST submersible pumps and motors are connected to each other by a rigid coupling. Dimensions of the connection are according to the NEMA standards.

Kodlama / Designation

G6 P 30 10 / 6

- Kademe Sayısı / Number of stages
- Motor Gücü (HP) / Motor Power (HP)
- Tip / Type
- Pompa Çapı İnç (6-7-8-10) / Pump Dia Inch (6-7-8-10)

MALZEME ÖZELLİKLERİ

MATERIAL SPECIFICATION

■ Pompa Mili

Paslanmaz Çelik	AISI 420
-----------------	----------

■ Ara Çanak ve Difüzörler

Standart	Sfero Döküm (GGG40)
----------	---------------------

■ Fan

Plastik	Noryl (PPO)
Opsiyonel	Bronz (ASTM B145-4A)

■ Kaplin (NEMA Standartı)

Paslanmaz Çelik	AISI 420
-----------------	----------

■ Filtre

Paslanmaz Çelik	AISI 304
-----------------	----------

■ Klepe

Bronz	ASTM B145-4A
-------	--------------

■ Kablo Muhafazası

Paslanmaz Çelik	AISI 304
-----------------	----------

■ Pump Shaft

Stainless Steel	AISI 420
-----------------	----------

■ Intermediate Bowl

Standard	Ductile Cast Iron (GGG40)
----------	---------------------------

■ Impeller

Plastic	Noryl (PPO)
Optional	Bronze (ASTM B145-4A)

■ Coupling (NEMA Standards)

Stainless Steel	AISI 420
-----------------	----------

■ Strainer

Stainless Steel	AISI 304
-----------------	----------

■ Valve Cap

Bronze	ASTM B145-4A
--------	--------------

■ Cable Guard

Stainless Steel	AISI 304
-----------------	----------

TEKNİK ÖZELLİKLER

TECHNICAL SPECIFICATION

■ Maks. Kum miktarı	:	50 gr/ m ³
■ Frekans	:	50 Hz
■ Dönüş Yönü	:	Saat ibresi tersine
■ Devir Sayısı	:	2900 d/dk
■ Maks. Su Sıcaklığı	:	30°C
■ Saatte Maks. Kalkış	:	20

■ Max. Sand Content	:	50 gr/ m ³
■ Frequency	:	50 Hz
■ Rotation	:	CCW
■ Rotational Speed	:	2900 rpm
■ Max. Water Temp.	:	30°C
■ Max. Start / Hour	:	20

ÖLÇÜLER

DIMENSIONS

■ TİP	:	ÇIKIŞ (D)	:	ÇAP (P)
■ XR09	:	2"	:	140
■ XR12	:	2"	:	140
■ P30	:	3"	:	147
■ P45	:	4"	:	147
■ P65	:	4"	:	180
■ P80	:	4"	:	180
■ XR33	:	4"	:	199
■ P92	:	5"	:	199
■ P110	:	5"	:	199
■ P135	:	5"	:	199
■ P200	:	5"	:	199
■ P260	:	6"	:	248
■ P360	:	6"	:	255



■ TYPE	:	OUT (D)	:	DIA. (P)
■ XR09	:	2"	:	140
■ XR12	:	2"	:	140
■ P30	:	3"	:	147
■ P45	:	4"	:	147
■ P65	:	4"	:	180
■ P80	:	4"	:	180
■ XR33	:	4"	:	199
■ P92	:	5"	:	199
■ P110	:	5"	:	199
■ P135	:	5"	:	199
■ P200	:	5"	:	199
■ P260	:	6"	:	248
■ P360	:	6"	:	255

SEPCAST 6"-7"-8"-10" Döküm Dalgıç Pompalar

SEPCAST 6"-7"-8"-10" Casted Submersible Pumps



G6 XR09

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kademe Stages	Motor		lt/s m³/h	0	0,5	1	1,5	2	2,5	3	3,5	4	4,5
		Kw	Hp		0	1,8	3,6	5,4	7,2	9,0	10,8	12,6	14,4	16,2
XR09 05/10	10	4	5,5	Manometrik Yükseklik Manometric Height	117	115	112	108	90	87	72	54	32	7
XR09 07/15	15	5,5	7,5		177	174	170	161	149	131	109	81	48	10
XR09 10/20	20	7,5	10		235	232	226	215	199	175	145	108	63	14
XR09 12/25	25	9,3	12,5		295	290	283	269	248	220	182	135	80	17
XR09 15/30	30	11	15		353	349	339	323	298	263	218	162	96	20
XR09 20/40	40	15	20		471	465	452	431	397	351	291	216	128	27

G6 XR12

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kademe Stages	Motor		lt/s m³/h	0	1,5	2	2,5	3	3,5	4	4,5	5	5,5
		Kw	Hp		0	5,4	7,2	9	11	13	14	16	18	20
XR12 07/08	8	5,5	7,5	Manometrik Yükseklik Manometric Height	98	96	95	93	90	85	79	70	59	46
XR12 10/10	10	7,5	10		124	121	119	117	114	108	101	91	78	62
XR12 12/13	13	9,3	12,5		159	156	154	150	145	137	126	112	94	71
XR12 15/16	16	11	15		197	193	191	187	181	171	158	141	119	92
XR12 20/21	21	15	20		254	251	248	242	234	221	204	181	152	116
XR12 25/26	26	18,5	25		319	313	309	303	292	277	256	228	193	149
XR12 30/32	32	22	30		392	385	380	373	360	341	315	281	237	183
XR12 35/37	37	26	35		453	445	440	430	416	394	364	325	275	211



G6 P30

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kademe Stages	Motor		lt/s m³/h	0	2	3	4	5	6	7	8	9	10	11	12
		Kw	Hp		0	7,2	10,8	14,4	18	21,6	25,2	28,8	32,4	36	39,6	43,2
P30 07/04	4	5,5	7,5	Manometrik Yükseklik Manometric Height	70	65	63	59	56	52	48	43	38	33	27	21
P30 10/06	6	7,5	10		102	96	92	87	82	76	69	62	53	45	35	25
P30 12/07	7	9,3	12,5		121	113	108	102	96	89	82	73	65	55	45	34
P30 15/08	8	11	15		138	130	124	118	111	103	95	85	75	64	52	39
P30 17/10	10	12,8	17,5		170	159	153	145	136	126	116	103	90	76	61	45
P30 20/13	13	15	20		217	203	195	184	173	160	146	130	113	94	74	53
P30 25/16	16	18,5	25		270	253	242	230	215	199	182	163	142	114	95	69
P30 30/19	19	22	30		319	300	288	273	256	237	216	193	168	140	111	79
P30 35/22	22	26	35		365	343	329	312	293	271	247	221	192	161	128	92

G6 P45

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kademe Stages	Motor		lt/s m³/h	0	7	8	9	10	11	12	13	14	15	16	17	18
		Kw	Hp		0	25,2	28,8	32,4	36	39,6	43,2	46,8	50,4	54	57,6	61,2	64,8
P45 07/03	3	5,5	7,5	Manometrik Yükseklik Manometric Height	45	40	38	37	36	34	32	30	28	26	24	22	19
P45 10/04	4	7,5	10		59	53	52	50	48	46	44	41	38	35	32	29	25
P45 12/05	5	9,3	12,5		75	67	65	63	60	58	55	51	48	44	40	36	32
P45 15/07	7	11	15		103	93	90	87	83	79	75	71	66	61	55	49	43
P45 20/09	9	15	20		130	116	112	108	104	99	93	88	81	75	68	60	52
P45 25/11	11	18,5	25		160	144	139	134	129	123	116	110	102	94	85	76	67
P45 30/14	14	22	30		199	180	174	168	161	153	145	136	126	116	105	93	81
P45 35/16	16	26	35		231	208	201	194	186	177	167	157	145	133	120	106	92
P45 40/18	18	30	40		257	232	225	217	208	198	188	176	163	150	136	120	104

SEPCAST 6"-7"-8"-10" Döküm Dalgıç Pompalar

SEPCAST 6"-7"-8"-10" Casted Submersible Pumps

G7 P65

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kademe Stages	Motor			lt/s m³/h	0	6	8	10	12	14	16	18	20	22	24	26	28
		Kw	Hp	Ø		0	21,6	28,8	36	43,2	50,4	57,6	64,8	72	79,2	86,4	93,6	100,8
P65 15/03	3	11	15	6"	Manometrik Yükseklik Manometric Height	68	64	62	60	57	54	51	47	42	38	32	27	21
P65 20/04	4	15	20			89	85	83	80	76	72	68	63	57	51	44	37	29
P65 25/05	5	18,5	25			111	108	105	102	97	93	87	80	73	65	57	47	37
P65 30/06	6	22	30			133	128	124	120	115	109	102	94	85	76	65	54	42
P65 35/07	7	26	35			155	150	146	141	135	128	120	111	100	89	77	63	49
P65 40/08	8	30	40	8"		177	171	166	161	154	146	137	127	116	103	89	75	59
P65 40/08	8	30	40			177	171	166	161	154	146	137	127	116	103	89	75	59
P65 50/10	10	37	50			223	217	212	206	198	188	177	164	150	135	117	99	78
P65 60/11	11	45	60			245	239	233	226	217	207	195	181	165	148	129	109	86
P65 70/14	14	52	70			313	303	295	285	273	260	244	226	205	183	159	133	104
P65 80/15	15	59	80			336	328	321	311	299	285	268	249	228	204	178	150	119
P65 90/16	16	67	90			355	346	337	327	314	298	280	260	237	212	184	154	121

G7 P80

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kademe Stages	Motor		Ø	lt/s m³/h	0	14	16	18	20	21	22	24	26	28	30	32	
		Kw	Hp			0	50,4	57,6	64,8	72	75,6	79,2	86,4	93,6	100,8	108	115,2	
P80 07/01	1	5,5	7,5	6"	Manometrik Yükseklik Manometric Height	24	21	20	19	18	17	17	16	14	13	11	9	
P80 15/02	2	11	15			48	41	39	38	36	35	34	32	29	26	22	18	
P80 20/03A	3	15	20			66	57	55	52	49	48	46	43	39	34	30	24	
P80 25/04A	4	18,5	25			87	77	74	71	67	65	63	58	52	46	39	32	
P80 30/05	5	22	30			98	84	81	78	74	72	70	65	59	53	46	37	
P80 35/05A	5	26	35	8"		112	97	93	89	84	81	79	73	66	58	50	41	
P80 40/06	6	30	40			143	121	116	112	107	104	100	93	85	76	66	54	
P80 40/06	6	30	40			143	121	116	112	107	104	100	93	85	76	66	54	
P80 50/07	7	37	50			169	145	140	135	129	126	122	114	105	94	83	69	
P80 60/08	8	45	60			192	166	160	154	147	143	139	130	119	108	94	79	
P80 70/09	9	52	70			215	186	179	172	164	160	155	144	133	119	104	88	
P80 80/10	10	59	80			242	210	203	196	187	182	177	165	152	137	120	101	
P80 90/12	12	67	90			287	247	239	229	218	212	205	191	175	156	136	113	
P80 100/14	14	75	100			330	281	271	259	246	238	231	214	194	173	149	123	



G8 XR33

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kademe Stages	Motor			Ø	0	4	5	6	7	8	9	10	11	12
		Kw	Hp			0	14,4	18	21,6	25,2	28,8	32,4	36	39,6	43,2
XR33 20/06	6	15	20	6"	Manometrik Yükseklik Manometric Height	154	142	136	129	120	111	99	86	70	51
XR33 25/08	8	18,5	25			205	190	182	172	161	147	132	114	93	68
XR33 30/09	9	22	30			231	213	204	194	181	166	148	129	104	77
XR33 35/10	10	26	35			256	237	227	215	201	184	165	143	116	85
XR33 40/12	12	30	40			309	285	273	258	241	221	198	172	139	102
XR33 40/12	12	30	40	309		285	273	258	241	221	198	172	139	102	
XR33 50/13	13	37	50	335		308	295	280	261	240	214	186	151	111	
XR33 50/16	16	37	50	412		379	363	344	321	295	264	229	186	136	
XR33 60/17	17	45	60	436		403	386	366	341	313	280	243	197	145	
XR33 60/19	19	45	60	488		451	432	409	381	350	313	272	221	162	
XR33 70/21	21	52	70	539		489	477	452	421	387	346	300	244	179	
XR33 70/22	22	52	70	565		522	500	474	442	405	363	314	255	188	
XR33 80/24	24	60	80	616		569	545	517	482	442	395	343	279	205	
XR33 80/25	25	60	80	642		593	568	538	502	461	412	357	290	213	
XR33 90/26	26	67	90	668		617	591	560	522	479	428	372	302	222	
XR33 90/27	27	67	90	693		640	613	581	542	497	445	386	313	230	



SEPCAST 6"-7"-8"-10" Döküm Dalgıç Pompalar

SEPCAST 6"-7"-8"-10" Casted Submersible Pumps

G8 P92

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kademe Stages	Motor			It/s m³/h	0	16	18	20	21	22	23	24	25	26	28	30	32	34
		Kw	Hp	Ø		0	57,6	64,8	72	75,6	79,2	82,8	86,4	90	93,6	100,8	108	115,2	122,4
P92 17/02	2	12,8	17,5	6"	Manometrik Yükseklik Manometric Height	55	44	42	39	38	37	35	34	33	31	28	25	22	18
P92 20/03	3	15	20			81	64	61	57	56	54	52	50	48	45	41	36	31	26
P92 30/04	4	22	30			111	89	84	80	77	74	72	69	66	63	57	50	44	36
P92 35/05	5	26	35			134	104	99	93	90	87	84	80	77	73	66	58	50	42
P92 40/06	6	30	40			154	122	113	110	106	102	98	95	90	86	78	68	59	48
P92 40/06	6	30	40	8"		154	122	113	110	106	102	98	95	90	86	78	68	59	48
P92 50/07A	7	37	50			174	139	132	125	122	118	114	110	106	102	93	84	74	64
P92 60/07	7	45	60			202	162	154	146	142	138	133	129	124	119	109	98	86	75
P92 60/08	8	45	60			225	178	169	160	155	150	144	139	133	128	116	103	90	77
P92 70/09	9	52	70			252	200	191	180	175	170	164	158	152	146	133	119	105	90
P92 80/10	10	59	80			281	225	214	203	197	191	184	178	171	164	149	134	117	100
P92 90/12	12	67	90			330	261	248	234	227	220	212	204	196	188	171	152	133	113
P92 100/13	13	75	100			357	283	269	254	246	238	230	221	213	204	185	165	144	123
P92 110/14	14	81	110	10"		385	304	289	273	265	256	248	238	229	219	199	178	156	132
P92 125/15	15	92	125			412	326	310	293	284	275	265	255	245	235	213	191	167	142

G8 P110

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi	Kad.	Motor			It/s	0	18	20	22	24	26	28	30	32	34	36	38	40	42
	Stage	Kw	Hp	Ø		m³/h	0	64,8	72,0	79,2	86,4	93,6	100,8	108,0	115,2	122,4	129,6	136,8	144,0
P110 20/02	2	15	20	6"	Manometrik Yükseklik Manometric Height	48	40	39	38	36	35	33	32	30	28	26	24	22	20
P110 30/03	3	22	30			72	63	61	59	57	55	52	50	47	44	41	38	34	31
P110 35/04	4	26	35			94	83	80	78	75	72	68	65	61	57	53	49	44	39
P110 40/05A	5	30	40			111	100	97	94	90	86	82	78	73	68	62	56	50	44
P110 40/05A	5	30	40	111		100	97	94	90	86	82	78	73	68	62	56	50	44	
P110 50/06	6	37	50	137		123	120	116	112	107	102	97	91	85	79	72	64	57	
P110 60/07A	7	45	60	155		141	137	133	128	123	117	111	104	97	89	81	73	64	
P110 70/08	8	52	70	186		166	161	156	150	144	138	130	123	115	106	97	87	77	
P110 80/09A	9	59	80	204		185	180	174	168	161	154	146	137	128	118	108	97	85	
P110 90/10	10	67	90	229		203	197	191	183	176	168	159	150	140	129	118	106	94	
P110 100/11	11	75	100	251		223	217	210	202	193	184	175	164	154	142	130	117	103	
P110 110/13	13	81	110	297		260	253	244	235	225	214	202	190	177	163	148	133	117	
P110 110/13	13	81	110	297		260	253	244	235	225	214	202	190	177	163	148	133	117	
P110 125/14	14	92	125	320		284	276	267	257	246	235	222	209	195	181	165	149	131	
P110 150/17	17	110	150	389		345	335	324	312	299	285	270	254	237	219	200	180	159	
P110 175/20	20	129	175	457		406	394	381	367	352	335	318	299	279	258	236	212	187	

G8 P135

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		It/s m³/h	0	24	26	28	30	32	34	36	38	40	42	44	46	48	
		Kw	Hp		Ø	0	86,4	93,6	100,8	108	115,2	122,4	129,6	136,8	144	151,2	158,4	165,6	172,8
P135 15/01	1	11	15	6"	Manometrik Yükseklik Manometric Height	30	23	22	22	21	20	19	18	17	16	15	13	12	10
P135 25/02	2	18,5	25			59	46	45	43	42	40	38	36	34	32	29	27	24	20
P135 40/03	3	30	40			93	72	70	68	66	64	61	59	56	53	50	46	42	38
P135 40/03	3	30	40	93		72	70	68	66	64	61	59	56	53	50	46	42	38	
P135 50/04	4	37	50	125		96	93	90	86	83	79	75	71	66	61	55	49	42	
P135 60/05A	5	45	60	142		109	105	102	98	94	90	85	80	75	69	63	57	49	
P135 70/06A	6	52	70	177		135	131	127	122	117	112	106	100	93	85	77	69	60	
P135 80/07A	7	59	80	191		147	142	138	132	127	121	115	108	100	92	83	74	64	
P135 90/07	7	67	90	215		166	161	156	150	144	137	130	122	114	105	95	84	73	
P135 100/08	8	75	100	243		180	174	168	161	154	147	138	129	120	109	98	86	73	
P135 110/09	9	81	110	262		202	196	190	183	176	168	159	150	140	129	117	105	91	
P135 110/09	9	81	110	262		202	196	190	183	176	168	159	150	140	129	117	105	91	
P135 125/10	10	92	125	297		232	225	217	210	201	192	182	171	159	146	133	118	102	
P135 150/12	12	110	150	342		273	266	258	249	240	229	218	206	192	178	162	145	126	
P135 175/14	14	129	175	403	317	308	299	289	278	266	253	239	224	208	190	171	150		



SEPCAST 6"-7"-8"-10" Döküm Dalgıç Pompalar

SEPCAST 6"-7"-8"-10" Casted Submersible Pumps

G8 P200

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		Ø	It/s m³/h	0	15	20	25	30	35	40	45	50	55	60	65	70	75
		Kw	Hp			0	54	72	90	108	126	144	162	180	198	216	234	252	270
P200 20/01	1	15	20	6"	Manometrik Yükseklik Manometric Height	29	26	25	24	22	21	20	19	18	17	16	14	12	10
P200 35/02	2	26	35			58	51	49	47	43	41	39	38	36	34	31	28	24	20
P200 50/03	3	37	50	8"		88	79	76	72	67	62	60	58	55	51	48	44	39	33
P200 70/04	4	52	70			117	105	102	97	90	83	81	78	74	69	64	58	50	42
P200 90/05	5	67	90			146	132	128	122	114	106	102	98	92	86	80	71	62	52
P200 110/06	6	81	110	10"		176	158	152	144	134	124	120	115	109	102	94	85	74	62
P200 125/07	7	92	125			208	187	180	170	158	145	140	134	126	118	108	97	85	72
P200 150/09	9	110	150			269	239	229	216	200	184	177	170	160	149	137	122	107	90
P200 175/10	10	129	175			294	263	253	241	223	207	200	192	181	170	157	142	123	104
P200 175/11	11	129	175			324	289	279	265	246	228	220	211	199	187	172	156	136	114

G10 P260

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		It/s m³/h	0	10	20	30	40	45	50	55	60	65	70	75	80	85	90		
		Kw	Hp																	Ø	
P260 50/01	1	37	50	8"	Manometrik Yükseklik Manometric Height	49	48	46	44	42	41	40	39	37	36	35	33	31	28	25	
P260 100/02	2	74	100			99	95	92	88	83	81	79	77	75	72	69	66	61	57	51	
P260 150/03	3	110	150	10"		148	143	137	131	125	122	119	116	112	108	104	98	92	85	76	
P260 200/04	4	147	200			198	191	183	175	167	163	159	154	150	144	138	131	123	113	101	
P260 250/05	5	185	250			247	239	229	219	209	204	198	193	187	180	173	164	154	141	127	

G10 P360

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m³/h	0	20	40	60	80	90	100	110	120	130	140	160
		Kw	Hp	Ø													
P360 50/01	1	37	50	8"	Manometrik Yükseklik Manometric Height	41	39	36	31	26	24	24	23	21	19	17	11
P360 100/02	2	74	100			81	77	71	62	52	49	47	45	43	39	33	21
P360 150/03	3	110	150	10"		122	116	107	93	78	73	71	68	64	58	50	32
P360 200/04	4	147	200			163	155	143	124	104	97	95	91	85	77	67	43
P360 250/05	5	185	250			203	193	178	155	130	122	118	113	107	97	83	53



Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47