

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.sep.nt-rt.ru | | spj@nt-rt.ru

Технические характеристики на погружные насосы из нержавеющей стали SEPINOX компании **SEP Pumps and Motors**

SEPINOX

Serisi / Series

SEPINOX Paslanmaz Çelik Dalgıç Pompalar

SEPINOX Stainless Steel Submersible Pumps


Application Fields

- Water supply for domestic use
- Water supply for industrial use
- Villages, towns and cities water network
- Water supply of hotels, hospitals, holiday resorts
- Irrigation, sprinkler, dripping systems
- Circulation of clean water, demineralized water
- Boosting of clean water, demineralized water
- Lowering ground water level
- Fire-fighting systems
- Heating and air conditioning

Operating Limits

Capacity (Q)	: up to 270 m ³ /h
Head (Hm)	: up to 475 mWc
Operating Temperature (T)	: up to 30 °C
Allowable Solid Content	: 50 gr/m ³

* For higher pressure and temperature options contact with SEP Pump



- SEPINOX series deep well submersible electric pumps are designed and built for safety operation of supplying underground water. They're also used to pump the water from stagnant water sources such as reservoirs, lakes, sea and dams. Pump and motor set are installed and run completely in the water. They are high efficient and long life pumps for continuous operations.
- SEPINOX submersible pumps run silent. They don't have shaft-cut problems because of running in curvature boreholes. Installation and service operations are very easy. Discharge part of the pump has a built-in checkvalve inside to prevent back flow. Pipe connection to the discharge of the pump is generally threaded type. It may be by using flanges upon request. As a general rule of the pumps, pumps shouldn't run at closed valve and reverse direction.
- SEPINOX submersible pumps are complete stainless steel pumps. Type of stainless steel may vary according to chemical and physical properties of the pumped water. However, AISI 304 stainless steel are widely used.
- SEPINOX submersible pumps and motors are connected to each other by a rigid coupling. Dimensions of the connection are according to the NEMA standards.

Kodlama / Designation

G6 C30 10 / 6

- Kademe Sayısı / Number of stages
- Motor Gücü (HP) / Motor Power (HP)
- Tip / Type
- Pompa Çapı İnç (4-6-8-10) / Pump Dia Inch (4-6-8-10)

MALZEME ÖZELLİKLERİ

MATERIAL SPECIFICATION

■ Pompa Mili	
Paslanmaz Çelik	AISI 431
■ Çıkış Gövdesi	
Paslanmaz Çelik	AISI 304
■ Emiş Gövdesi	
Paslanmaz Çelik	AISI 304
■ Ara Çanak	
Paslanmaz Çelik	AISI 304
■ Fan	
Paslanmaz Çelik	AISI 304
■ Kaplin (NEMA Standartı)	
Paslanmaz Çelik	AISI 431
■ Fan Tespit Burcu	
Paslanmaz Çelik	AISI 304
■ Filtre ve Kablo Muhafazası	
Paslanmaz Çelik	AISI 304
■ Klepe	
Paslanmaz Çelik	AISI 304
■ Aşınma Halkası	
Fan	Paslanmaz Çelik AISI 304
Difüzör	Kauçuk / NBR

■ Pump Shaft	
Stainless Steel	AISI 431
■ Outlet Body	
Stainless Steel	AISI 304
■ Inlet Body	
Stainless Steel	AISI 304
■ Intermediate Bowl	
Stainless Steel	AISI 304
■ Impeller	
Stainless Steel	AISI 304
■ Coupling (NEMA Standards)	
Stainless Steel	AISI 431
■ Impeller Lock Collet	
Stainless Steel	AISI 304
■ Strainer & Cable Guard	
Stainless Steel	AISI 304
■ Valve Cap	
Stainless Steel	AISI 304
■ Wear Ring	
Impeller	AISI 304
Diffuser	Rubber / NBR

TEKNİK ÖZELLİKLER

TECHNICAL SPECIFICATION

■ Maks. Kum miktarı	:	50 gr/ m ³
■ Frekans	:	50 Hz
■ Dönüş Yönü	:	Saat ibresi tersine
■ Devir Sayısı	:	2900 d/dk
■ Maks. Su Sıcaklığı	:	30°C
■ Saatte Maks. Kalkış	:	10

■ Max. Sand Content	:	50 gr/ m ³
■ Frequency	:	50 Hz
■ Rotation	:	CCW
■ Rotational Speed	:	2900 rpm
■ Max. Water Temp.	:	30°C
■ Max. Start / Hour	:	10

ÖLÇÜLER

DIMENSIONS

■ TİP	:	ÇIKIŞ (D)	:	ÇAP (P)
■ C02	:	1 1/4"	:	97
■ C04	:	1 1/4"	:	97
■ C06	:	1 1/2"	:	97
■ C10	:	2"	:	97
■ C17	:	2 1/2"	:	142
■ C30	:	3"	:	152
■ C46	:	3"	:	152
■ C60	:	4"	:	152
■ C77	:	5"	:	204
■ C95	:	5"	:	204
■ C125	:	6"	:	247
■ C165	:	6"	:	247
■ C215	:	6"	:	247



■ TYPE	:	OUT (D)	:	DIA. (P)
■ C02	:	1 1/4"	:	97
■ C04	:	1 1/4"	:	97
■ C06	:	1 1/2"	:	97
■ C10	:	2"	:	97
■ C17	:	2 1/2"	:	142
■ C30	:	3"	:	152
■ C46	:	3"	:	152
■ C60	:	4"	:	152
■ C77	:	5"	:	204
■ C95	:	5"	:	204
■ C125	:	6"	:	247
■ C165	:	6"	:	247
■ C215	:	6"	:	247

Çap (P): Kablo dahil maks. pompa çapı

Dia. (P): Max.pump diameter with cable guard

SEPINOX 4"-6"-8" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

SEPINOX 4"-6"-8" Stainless Steel Submersible Pumps

G4 C02

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Pompa Kademe Pump Stages	Motor		lt/s m³/h	0	15	20	25	30	35	40
		Kw	Hp		0	0,9	1,2	1,5	1,8	2,1	2,4
C02 07/13	13	0,55	0,75	Manometrik Yükseklik Manometric Height	77	71	68	61	56	48	38
C02 10/18	18	0,75	1		106	98	92	84	77	66	51
C02 15/23	23	1,1	1,5		136	124	118	108	98	84	67
C02 20/28	28	1,5	2		166	155	146	134	120	103	82
C02 20/33	33	1,5	2		195	181	171	157	141	120	97
C02 30/40	40	2,2	3		236	218	205	190	170	142	119
C02 30/48	48	2,2	3		282	258	241	221	199	171	137
C02 40/55	55	3	4		323	295	276	253	228	196	167
C02 40/65	65	3	4		381	349	326	299	269	231	185

G4 C04

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Pompa Kademe Pump Stages	Motor		lt/s m³/h	0	25	30	35	40	45	50	60	70
		Kw	Hp		0	1,5	1,8	2,1	2,4	2,7	3,0	3,6	4,2
C04 07/09	9	0,55	0,75	Manometrik Yükseklik Manometric Height	58	54	52	49	48	47	43	36	25
C04 10/12	12	0,75	1		78	67	65	62	59	56	52	42	28
C04 15/15	15	1,1	1,5		97	84	81	78	74	71	67	52	38
C04 15/18	18	1,1	1,5		117	101	98	93	89	83	78	64	42
C04 20/22	22	1,5	2		143	123	120	115	110	103	96	77	52
C04 20/25	25	1,5	2		152	140	134	128	121	113	106	86	58
C04 30/29	29	2,2	3		188	162	155	149	142	133	122	98	67
C04 30/33	33	2,2	3		212	180	173	168	160	150	138	109	73
C04 40/39	39	3	4		250	215	208	199	190	179	165	136	89
C04 40/45	45	3	4		292	250	243	233	223	209	195	153	107
C04 55/52	52	4	5,5		335	285	276	265	252	239	222	180	123
C04 55/60	60	4	5,5		386	328	318	306	291	275	256	208	142
C04 55/75	75	4	5,5		483	411	398	382	363	345	319	259	177

G4 C06

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Pompa Kademe Pump Stages	Motor		lt/s m³/h	0	30	35	40	45	50	60	70	80	90	100
		Kw	Hp		0	1,8	2,1	2,4	2,7	3,0	3,6	4,2	4,8	5,4	6,0
C06 07/06	6	0,55	0,75	Manometrik Yükseklik Manometric Height	38	34	33	32	31	30	28	26	24	21	17
C06 10/08	8	0,75	1		57	44	43	42	41	40	38	35	32	28	22
C06 15/12	12	1,1	1,5		75	68	66	65	64	63	58	53	49	42	36
C06 20/17	17	1,5	2		106	95	92	90	87	85	79	73	67	58	50
C06 30/21	21	2,2	3		131	117	114	110	107	103	98	90	82	72	62
C06 30/25	25	2,2	3		156	140	136	131	129	127	118	110	100	90	74
C06 40/33	33	3	4		206	182	178	173	170	165	155	142	130	115	98
C06 55/38	38	4	5,5		237	210	205	199	195	190	178	165	151	135	113
C06 55/44	44	4	5,5		275	244	239	232	226	221	208	191	174	155	130
C06 75/52	52	5,5	7,5		325	288	282	274	267	261	245	225	206	183	153
C06 75/60	60	5,5	7,5		375	332	326	316	308	301	283	260	237	211	177

G4 C10

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Pompa Kademe Pump Stages	Motor		lt/s m³/h	0	40	45	50	60	70	80	90	100	120	140	160	180
		Kw	Hp		0	2,4	2,7	3,0	3,6	4,2	4,8	5,4	6,0	7,2	8,4	9,6	10,8
C10 10/05	5	0,75	1	Manometrik Yükseklik Manometric Height	30	26	26	25	25	24	24	23	23	22	19	15	10
C10 15/07	7	1,1	1,5		41	36	35	34	34	33	33	32	32	29	25	20	15
C10 20/10	10	1,5	2		58	52	52	51	51	50	50	49	49	46	40	34	27
C10 30/12	12	2,2	3		69	63	62	61	60	60	59	58	57	52	49	41	32
C10 30/15	15	2,2	3		86	79	78	77	76	75	73	72	70	66	60	50	40
C10 40/18	18	3	4		103	91	90	89	88	87	85	83	81	77	70	60	48
C10 55/21	21	4	5,5		121	111	110	108	106	104	102	100	98	91	82	71	54
C10 55/25	25	4	5,5		144	131	130	128	126	122	119	116	113	107	97	81	61
C10 75/30	30	5,5	7,5		173	155	153	151	149	147	143	139	136	127	114	97	74
C10 75/37	37	5,5	7,5		213	192	190	188	184	180	175	170	165	154	139	118	92
C10 100/44	44	7,5	10		253	228	226	223	218	214	208	202	196	183	165	140	109
C10 100/50	50	7,5	10		287	259	256	254	248	243	236	229	223	208	188	159	124

SEPINOX 4"-6"-8" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

SEPINOX 4"-6"-8" Stainless Steel Submersible Pumps

G6 C17

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		lt/s m³/h	0	0,8	1,7	2,5	3,3	4,2	5,0	5,8	6,7
		Kw	Hp		0	3	6	9	12	15	18	21	24
C17 02/02	2	1,5	2	Manometrik Yükseklik Manometric Height	24	22	21,5	20	19	17,5	14	12	9
C17 03/04	4	2,2	3		44	42,5	42	40,5	38	33	28,5	23	18
C17 04/05	5	3	4		55	53	52	51	47,5	42,5	37	29	22
C17 05/07	7	4	5,5		76	75	74	71	66	59	51	40	32
C17 07/10	10	5,5	7,5		109	108	107	102	95	86	74	59	49
C17 10/13	13	7,5	10		142	141	139	133	124	112	95	75	60
C17 12/17	17	9,3	12,5		186	184	182	175	163	147	126	100	80
C17 15/20	20	11	15		218	216	213	206	192	175	147	116	95
C17 17/24	24	12,8	17,5		270	260	257	247	230	208	178	140	115
C17 20/27	27	15	20		295	292	288	277	260	234	200	158	128
C17 25/29	29	18,5	25		324	314	311	300	279	250	215	170	138
C17 25/31	31	18,5	25		350	335	330	318	298	269	230	181	148
C17 25/33	33	18,5	25		358	355	350	337	315	285	243	191	157
C17 30/36	36	22	30		410	390	385	371	348	313	268	210	170
C17 30/38	38	22	30		420	410	405	390	365	330	281	222	180
C17 30/40	40	22	30		433	425	412	384	346	296	296	235	190

G6 C30

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		lt/s m³/h	0	1,7	2,5	3,3	4,2	5,0	5,8	6,7	7,5	8,3	10,0	11,7
		Kw	Hp		0	6	9	12	15	18	21	24	27	30	36	42
C30 03/02	2	2,2	3	Manometrik Yükseklik Manometric Height	25	23	22	21	20	19	18	17	16	15	11	6
C30 05/04	4	4	5,5		45	43	42	41	40	38	36	34	31	28	23	15
C30 07/06	6	5,5	7,5		68	67	64	62	60	58	56	52	49	45	36	25
C30 10/08	8	7,5	10		89	88	87	84	81	78	73	68	64	58	46	31
C30 15/11	11	11	15		124	122	120	117	112	108	102	97	90	83	67	47
C30 15/13	13	11	15		145	143	140	137	132	127	120	113	105	97	77	55
C30 20/15	15	15	20		170	168	166	162	157	150	142	134	124	113	90	65
C30 20/17	17	15	20		190	188	185	180	173	167	158	148	138	127	103	71
C30 25/19	19	18,5	25		211	208	205	199	192	182	172	161	150	137	110	77
C30 25/21	21	18,5	25		235	230	226	220	212	202	190	177	164	149	117	80
C30 30/24	24	22	30		261	258	254	248	240	230	219	207	191	175	137	93
C30 30/26	26	22	30		290	287	282	275	266	255	242	227	212	194	152	100
C30 35/29	29	26	35		322	319	314	307	298	287	273	257	240	220	170	113
C30 40/32	32	30	40		357	353	347	338	327	313	298	281	261	240	190	130
C30 40/35	35	30	40		386	382	377	368	358	346	329	311	290	267	211	148

G6 C46

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		lt/s m³/h	0	3,3	4,2	5,0	5,8	6,7	7,5	8,3	10,0	11,7	13,3	15,0	16,7
		Kw	Hp		0	12	15	18	21	24	27	30	36	42	48	54	60
C46 04/02	2	3	4	Manometrik Yükseklik Manometric Height	26	24	23,5	23	22,5	22	21	20	18	17	15	12	9
C46 07/03	3	5,5	7,5		41	40	39	38	37	35	34	33	29	27	23	18	14
C46 10/05	5	7,5	10		67	65	63	61	59	57	55	53	48	44	39	32	24
C46 15/07	7	11	15		95	94	92	88	85	82	79	76	70	64	57	47	37
C46 20/10	10	15	20		135	133	130	127	122	117	112	107	98	90	80	67	53
C46 25/12	12	18,5	25		163	158	155	150	145	140	135	130	120	110	98	83	64
C46 30/15	15	22	30		205	200	195	189	183	177	169	163	150	138	124	105	81
C46 35/17	17	26	35		232	227	222	215	208	200	193	186	172	158	143	121	96
C46 40/19	19	30	40		260	254	248	241	233	224	216	208	193	178	160	136	107
C46 50/22	22	37	50		301	294	288	280	270	260	251	241	222	203	183	155	123
C46 50/24	24	37	50		330	325	317	309	298	287	276	265	244	223	199	171	140

G6 C60

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		lt/s m³/h	0	5,0	5,8	6,7	7,5	8,3	10,0	11,7	13,3	15,0	16,7	18,3	20,0	21,7
		Kw	Hp		0	18	21	24	27	30	36	42	48	54	60	66	72	78
C60 05/02	2	4	5,5	Manometrik Yükseklik Manometric Height	28	26	25	24	23	22	20	18	16	14	13	11	8	5
C60 07/03	3	5,5	7,5		41	40	39	38	37	36	32	28	26	24	22	18	14	10
C60 10/04	4	7,5	10		58	53	52	51	48	47	43	38	35	32	28	25	20	14
C60 12/05	5	9,2	12,5		72	67	66	64	62	60	55	50	46	42	38	33	27	19
C60 15/06	6	11	15		86	79	78	76	73	70	64	58	53	48	44	38	32	23
C60 17/07	7	12,8	17,5		96	94	92	89	86	84	77	70	64	59	54	47	40	29
C60 20/08	8	15	20		114	106	104	101	97	94	87	80	73	67	60	53	44	33
C60 25/09	9	18,5	25		129	122	118	116	112	108	99	91	83	76	69	61	51	38
C60 25/10	10	18,5	25		143	135	132	128	125	120	111	102	95	87	78	68	57	45
C60 30/11	11	22	30		157	148	146	142	137	132	122	112	103	95	86	76	64	49
C60 30/12	12	22	30		172	162	157	153	148	143	133	122	112	103	94	83	68	53
C60 35/14	14	26	35		198	188	184	180	175	168	156	142	130	120	109	96	80	63
C60 35/15	15	26	35		213	203	197	193	187	180	166	152	138	127	116	103	86	67
C60 40/16	16	30	40		227	216	211	206	200	193	178	162	148	135	123	108	92	72
C60 50/18	18	37	50		250	243	238	233	226	218	202	185	170	155	141	126	107	83
C60 50/20	20	37	50		276	267	263	256	248	239	220	201	184	168	153	136	115	90



SEPINOX 4"-6"-8" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

SEPINOX 4"-6"-8" Stainless Steel Submersible Pumps

G8 C77

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m³/h	0	3,4	5	6,7	8,4	10	11,7	13,4	15	18,4	21,7	25	28,4
		Kw	Hp	Ø		0	12	18	24	30	36	42	48	54	66	78	90	102
C77 07/01	1	5,5	7,5	6"	Manometrik Yükseklik Manometric Height	21	20	19,5	19	18	17	16	15	14	13	12	9	7
C77 07/2B	2	5,5	7,5			34	33	32	30	28	27	26	25	23	20	16	11	6
C77 10/02	2	7,5	10			40	39	38	37	35	33	32	30	28	26	23	18	13
C77 12/3B	3	9,3	12,5			53	53	51	49	47	45	43	41	38	34	28	22	13
C77 15/03	3	11	15			56	58	57	55	53	50	47	45	43	39	35	28	20
C77 17/4B	4	12,8	17,5			74	72	70	68	65	62	59	56	53	47	40	31	21
C77 20/04	4	15	20			80	77	76	74	71	67	64	61	58	53	46	37	27
C77 25/05	5	18,5	25			99	96	94	92	88	84	80	76	73	66	57	46	33
C77 30/06	6	22	30			121	116	113	110	106	101	96	92	88	80	70	56	40
C77 35/07	7	26	35			138	136	133	130	126	120	115	109	104	93	81	65	47
C77 35/8B	8	26	35	154		147	143	139	134	129	123	117	112	101	87	69	47	
C77 40/09	9	30	40	178		171	167	163	158	152	145	138	131	118	104	84	58	
C77 40/09	9	30	40	178		171	167	163	158	152	145	138	131	118	104	84	58	
C77 50/11	11	37	50	218		211	207	202	195	186	176	167	159	145	128	104	74	
C77 60/12	12	45	60	249		244	240	234	227	217	207	198	190	173	154	130	99	
C77 75/13	13	55	75	265		263	259	252	244	235	224	214	205	187	166	139	107	
C77 75/15	15	55	75	308		302	298	292	284	273	260	248	237	215	191	160	120	
C77 90/16	16	67	90	324		322	318	312	302	290	278	265	252	228	202	172	132	
C77 90/18	18	67	90	373		365	359	352	341	328	312	298	285	260	230	193	147	
C77 100/20	20	75	100	412		402	397	389	379	364	347	330	315	287	254	212	159	

G8 C95

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m³/h	0	5,0	6,7	8,4	10,0	11,7	13,4	16,7	20,0	23,4	26,7	30,0	33,4
		Kw	Hp	Ø		0	18	24	30	36	42	48	60	72	84	96	108	120
C95 07/01	1	5,5	7,5	6"	Manometrik Yükseklik Manometric Height	22	21	20	19	18	17,5	17	15	14	13	12	10	8
C95 10/2A	2	7,5	10			42	34	33	32	31	30	28	26	24	21	17	13	9
C95 12/02	2	9	12,5			42	41	40	39	37	36	34	31	29	26	23	20	15
C95 15/3B	3	11	15			65	54	53	51	49	47	45	41	37	33	28	22	16
C95 17/03	3	12,8	17,5			64	62	60	59	57	54	51	47	43	40	35	30	23
C95 20/4B	4	15	20			84	74	73	71	68	65	62	56	52	47	40	32	24
C95 25/04	4	18,5	25			85	82	80	78	75	72	68	62	57	53	47	39	30
C95 25/5AB	5	18,5	25			92	89	87	84	82	78	75	68	62	55	47	36	32
C95 30/05	5	22	30			107	102	100	97	94	90	85	77	72	66	59	50	38
C95 35/06	6	26	35			129	123	121	118	114	110	104	94	86	79	72	60	46
C95 40/07	7	30	40	148		143	140	137	132	127	121	110	101	93	83	70	53	
C95 40/07	7	30	40	148		143	140	137	132	127	121	110	101	93	83	70	53	
C95 50/09-8"	9	37	50	190		182	179	175	169	163	155	140	128	118	106	90	68	
C95 60/10	10	45	60	214		206	201	197	190	183	177	162	150	140	124	105	82	
C95 75/12	12	55	75	253		250	245	240	231	222	214	197	181	167	150	126	99	
C95 75/13	13	55	75	281		268	263	258	250	240	230	210	195	180	160	135	106	
C95 90/14	14	67	90	302		291	286	280	271	261	251	230	210	194	174	147	116	
C95 100/17	17	75	100	366		350	344	336	327	316	302	277	255	235	212	180	140	
C95 125/18	18	93	125	375		372	366	360	350	340	326	296	270	250	227	192	150	
C95 125/20	20	93	125	432		412	406	397	388	378	365	333	302	279	251	214	166	
C95 150/22	22	110	150	475		453	447	437	427	416	402	366	333	307	276	236	183	

SEPINOX 4"-6"-8"-10" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

SEPINOX 4"-6"-8"-10" Stainless Steel Submersible Pumps

G10 C125

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m³/h	21,7	25	28,3	31,7	35	38,3	41,7	45
		Kw	Hp	Ø		78	90	102	114	126	138	150	162
C125 10/01A	1	7,5	10	6"	Manometrik Yükseklik Manometric Height	17	16	15	14	12	10	7	4
C125 15/01	1	11	15			24	22	22	20	18	17	15	12
C125 30/02	2	22	30			49	47	44	42	39	35	31	25
C125 40/03	3	30	40			74	71	68	63	58	53	46	39
C125 40/03	3	30	40	8"		74	71	68	63	58	53	46	39
C125 50/04	4	37	50			98	94	89	84	78	71	62	51
C125 60/05A	5	45	60			119	114	108	102	95	85	73	59
C125 75/05	5	55	75			128	122	117	111	103	94	83	69
C125 75/06A	6	55	75			144	138	132	125	116	104	90	74
C125 90/06	6	67	90			153	147	140	133	124	114	100	84
C125 90/07A	7	67	90			170	163	155	148	137	123	106	83
C125 100/07	7	75	100			178	171	164	155	145	132	116	98
C125 100/08	8	75	100	10"		203	194	186	176	165	149	130	108
C125 125/10	10	93	125			250	239	227	215	201	182	159	131
C125 150/11	11	93	125			277	265	254	240	223	202	177	149
C125 175/12	12	110	150			308	295	283	269	251	228	200	169
C125 175/13	13	129	175			332	318	301	289	270	240	216	180
C125 200/14	14	147	200			361	346	332	316	295	269	236	200
C125 225/16	16	165	225			412	396	379	361	338	308	270	229

G10 C165

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m³/h	20	25	30	35	40	45	50	55
		Kw	Hp	Ø		72	90	108	126	144	162	180	198
C165 12/1-A	1	9,3	12,5	6"	Manometrik Yükseklik Manometric Height	18	17	16	15	13	12	8	5
C165 17/1	1	15	20			28	25	24	22	20	19	17	17
C165 35/2	2	26	35			56	51	48	45	42	38	34	28
C165 50/3	3	37	50			83	78	72	68	64	59	52	43
C165 50/3	3	37	50	8"		83	78	72	68	64	59	52	43
C165 75/4	4	55	75			114	106	99	94	88	81	73	61
C165 90/5	5	67	90			142	132	124	117	110	102	90	76
C165 100/6	6	75	100			170	158	148	140	132	122	108	90
C165 125/7	7	92	125	10"		196	183	172	162	152	140	124	102
C165 125/8	8	92	125			222	208	194	183	172	158	140	115
C165 150/9	9	110	150			252	235	220	207	196	180	159	131
C165 175/10	10	129	175			284	266	250	236	223	205	182	152
C165 175/11	11	129	175			312	292	274	258	243	224	199	165
C165 200/12	12	147	200			342	320	301	285	268	248	221	184
C165 225/13	13	165	225			371	347	327	309	292	269	240	200
C165 225/14	14	170	225			398	373	350	332	312	288	257	213

G10 C215

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m³/h	16.7	20.8	25	33.3	41.7	50	58.3	66.7	75
		Kw	Hp	Ø		60	75	90	120	150	180	210	240	270
C215 20/01A	1	15	20	6"	Manometrik Yükseklik Manometric Height	25	24	23	21	19	16	13	9	4
C215 25/01	1	18.5	25			35	33	32	29	26	24	22	18	12
C215 40/02AA	2	30	40			52	50	49	46	42	38	32	24	14
C215 40/02AA	2	30	40	8"		52	50	49	46	42	38	32	24	14
C215 50/02A	2	37	50			62	60	58	54	50	46	41	34	22
C215 60/02	2	45	60			74	71	69	63	58	54	49	42	32
C215 80/03A	3	59	80			101	98	95	88	82	76	69	58	42
C215 90/03	3	67	90			112	108	104	96	89	82	76	66	51
C215 100/04	4	75	100			149	144	139	128	118	110	100	87	68
C215 125/05	5	92	125	10"		184	179	172	159	146	135	124	107	83
C215 150/06	6	110	150			223	216	207	191	177	164	149	129	101
C215 175/07	7	129	175			264	255	246	227	210	196	180	156	124
C215 200/08	8	147	200			303	294	284	262	243	225	207	181	144
C215 225/09	9	165	225			341	331	319	295	273	254	233	204	162



YENİ SEPINOX 5" - 6" - 8" - 10" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

NEW SEPINOX 5" - 6" - 8" - 10" Stainless Steel Submersible Pumps

G5 CG18

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			lt/s m³/h	0,00	3,3	3,9	4,4	5	5,6	6,1	6,7	7,2
		Kw	Hp	Ø		0,00	12	14	16	18	20	22	24	26
CG18 05/08	08	4	5,5	4" - 6"	Manometrik Yükseklik Manometric Height	84	70	67	63	60	55	50	43	35
CG18 07/11	11	5,5	7,5			116	97	92	87	82	76	68	59	48
CG18 10/14	14	7,5	10			147	123	117	111	104	97	87	75	62
CG18 12/17	17	9,3	12,5			179	150	142	134	127	117	105	91	75
CG18 15/20	20	11	15			210	176	167	158	149	138	124	107	88
CG18 17/23	23	12,8	17,5			242	202	192	182	171	159	143	123	101
CG18 20/27	27	15	20			284	238	225	213	201	186	167	144	119
CG18 25/33	33	18,5	25			347	290	276	261	246	228	205	177	145
CG18 30/40	40	22	30			420	352	334	316	298	276	248	214	176

G5 CG22

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			lt/s m³/h	0,00	4,4	5	5,5	6,1	6,7	7,2	7,8	8,3
		Kw	Hp	Ø		0,00	16	18	20	22	24	26	28	30
CG22 05/05	05	4	5,5	4" - 6"	Manometrik Yükseklik Manometric Height	55	44	43	41	38	36	33	28	24
CG22 07/07	07	5,5	7,5			77	62	60	57	54	50	46	39	33
CG22 10/09	09	7,5	10			100	80	77	73	69	65	59	51	43
CG22 12/12	12	9,3	12,5			133	107	102	98	92	86	78	68	57
CG22 15/14	14	11	15			155	124	119	114	108	101	91	79	67
CG22 17/16	16	12,8	17,5			177	142	136	130	123	115	104	90	76
CG22 20/18	18	15	20			199	160	153	146	138	129	117	101	86
CG22 25/23	23	18,5	25			254	204	196	187	177	165	150	129	109
CG22 30/28	28	22	30			310	249	238	228	215	201	182	158	133

G6 CG05

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			lt/s m³/h	0,00	0,8	1,1	1,4	1,7	1,9
		Kw	Hp	Ø		0,00	3	4	5	6	7
CG05 075/01	01	0,55	0,75	4"	Manometrik Yükseklik Manometric Height	11	11	10	10	9	9
CG05 010/02	02	0,75	1			22	21	20	20	19	18
CG05 015/03	03	1,1	1,50			34	32	30	29	28	27
CG05 020/04	04	1,5	2,00			46	42	41	39	37	36
CG05 030/05	05	2,2	3,00			57	53	51	49	47	44
CG05 030/06	06	2,2	3,00			68	63	61	59	56	53
CG05 040/07	07	3	4,00			80	74	71	69	66	62
CG05 040/08	08	3	4,00			91	84	81	79	75	71
CG05 050/09	09	4	5,50			103	95	91	88	84	80
CG05 050/10	10	4	5,50			114	105	102	98	94	89
CG05 050/11	11	4	5,50	4" - 6"	Manometrik Yükseklik Manometric Height	126	116	112	108	103	98
CG05 070/12	12	5,5	7,50			137	126	122	118	112	107
CG05 070/13	13	5,5	7,50			148	137	132	128	122	116
CG05 070/14	14	5,5	7,50			160	147	142	138	131	124
CG05 070/15	15	5,5	7,50			171	158	152	147	140	133
CG05 10/16	16	7,5	10,00			182	168	163	157	150	142
CG05 10/17	17	7,5	10,00			194	179	173	167	159	151
CG05 10/18	18	7,5	10,00			205	189	183	177	168	160
CG05 10/19	19	7,5	10,00			217	200	193	187	178	169
CG05 10/20	20	7,5	10,00			228	210	203	197	187	178
CG05 10/21	21	7,5	10,00	6"	Manometrik Yükseklik Manometric Height	240	221	213	206	197	187
CG05 10/22	22	7,5	10,00			251	231	224	216	206	196
CG05 12/23	23	9,3	12,50			262	242	234	226	215	204
CG05 12/24	24	9,3	12,50			274	252	244	236	225	213
CG05 12/25	25	9,3	12,50			285	263	254	246	234	222
CG05 12/26	26	9,3	12,50			297	273	264	256	243	231
CG05 12/27	27	9,3	12,50			308	284	274	265	253	240
CG05 15/28	28	11	15,00			320	294	285	275	262	249
CG05 15/29	29	11	15,00			331	305	295	285	271	258
CG05 15/30	30	11	15,00			342	316	305	295	281	267
CG05 15/31	31	11	15,00	6"	Manometrik Yükseklik Manometric Height	354	326	315	305	290	276
CG05 15/32	32	11	15,00			365	337	325	315	300	284
CG05 17/33	33	12,8	17,50			377	347	335	324	309	293
CG05 17/34	34	12,8	17,50			388	358	346	334	318	302
CG05 17/35	35	12,8	17,50			399	368	356	344	328	311
CG05 17/36	36	12,8	17,50			411	379	366	354	337	320
CG05 17/37	37	12,8	17,50			422	389	376	364	346	329
CG05 17/38	38	12,8	17,50			434	400	386	374	356	338

YENİ SEPINOX 6" - 8" - 10" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

NEW SEPINOX 6" - 8" - 10" Stainless Steel Submersible Pumps

G6 CG12

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m³/h	0,00	1,94	2,22	2,50	2,78	3,06	3,33	3,61	3,89	4,44	5,00
		Kw	Hp	Ø		0,00	7,00	8,00	9,00	10,00	11,00	12,00	13,00	14,00	16,00	18,00
CG12 17/28	28	12,8	17,50	5" - 6"	Manometrik Yükseklik Manometric Height	305	274	269	260	249	235	216	199	179	132	84
CG12 17/29	29	12,8	17,50			316	284	278	270	258	244	223	206	186	136	87
CG12 17/30	30	12,8	17,50			327	294	288	279	267	252	231	213	192	141	90
CG12 20/31	31	15	20			338	304	298	288	276	260	239	220	198	146	93
CG12 20/32	32	15	20			349	314	307	298	285	269	246	227	205	150	96
CG12 20/33	33	15	20			360	323	317	307	294	277	254	234	211	155	99
CG12 20/34	34	15	20			371	333	326	316	303	286	262	241	218	160	102
CG12 20/35	35	15	20			382	343	336	326	312	294	270	249	224	165	105
CG12 20/36	36	15	20			392	353	346	335	320	302	277	256	230	169	108
CG12 25/37	37	18,5	25			403	363	355	344	329	311	285	263	237	174	111
CG12 25/38	38	18,5	25			414	372	365	353	338	319	293	270	243	179	114
CG12 25/39	39	18,5	25			425	382	374	363	347	328	300	277	250	183	117
CG12 25/40	40	18,5	25			436	392	384	372	356	336	308	284	256	188	120

G6 CG17

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m³/h	0,00	2,78	3,06	3,33	3,61	3,89	4,17	4,44	4,72	5,00	5,28
		Kw	Hp	Ø		0,00	10	11	12	13	14	15	16	17	18	19
CG17 01/01	01	0,55	0,75	4"	Manometrik Yükseklik Manometric Height	12	9	9	9	8	8	8	7	7	6	6
CG17 02/02	02	1,1	1,50			24	19	18	18	17	17	16	15	14	13	12
CG17 02/03	03	1,5	2,00			36	29	27	27	26	25	24	23	21	20	18
CG17 03/04	04	2,2	3,00			48	39	37	36	34	34	32	30	29	27	25
CG17 04/05	05	3	4,00			60	49	46	45	43	42	40	38	36	34	31
CG17 05/06	06	4	5,50			72	58	55	54	52	51	48	46	43	40	37
CG17 05/07	07	4	5,50			84	68	65	63	60	59	56	53	51	47	44
CG17 05/08	08	4	5,50			96	78	74	72	69	68	64	61	58	54	50
CG17 05/09	09	4	5,50			108	88	83	81	78	76	72	69	65	61	56
CG17 07/10	10	5,5	7,50			120	98	93	90	87	85	80	77	73	68	63
CG17 07/11	11	5,5	7,50			132	107	102	99	95	93	88	84	80	74	69
CG17 07/12	12	5,5	7,50			144	117	111	108	104	102	96	92	87	81	75
CG17 10/13	13	7,5	10,00			156	127	120	117	113	110	104	100	94	88	81
CG17 10/14	14	7,5	10,00			168	137	130	125	121	119	112	107	102	95	88
CG17 12/15	15	9,3	12,50			180	147	139	134	130	127	120	115	109	102	94
CG17 12/16	16	9,3	12,50			192	156	148	143	139	136	128	123	116	108	100
CG17 12/17	17	9,3	12,50	4" - 5" - 6"	Manometrik Yükseklik Manometric Height	204	166	158	152	147	144	136	130	124	115	107
CG17 12/18	18	9,3	12,50			216	176	167	161	156	153	144	138	131	122	113
CG17 12/19	19	9,3	12,50			228	186	176	170	165	161	152	146	138	129	119
CG17 15/20	20	9,3	12,50			240	196	186	179	174	170	160	154	146	136	126
CG17 15/21	21	11	15,00			252	205	195	188	182	178	168	161	153	142	132
CG17 15/22	22	11	15,00			264	215	204	197	191	187	176	169	160	149	138
CG17 15/23	23	11	15,00			276	225	213	206	200	195	184	177	167	156	144
CG17 15/24	24	11	15,00			288	235	223	215	208	204	192	184	175	163	151
CG17 15/25	25	11	15,00			300	245	232	224	217	212	200	192	182	170	157
CG17 17/26	26	12,8	17,50			312	254	241	233	226	221	208	200	189	176	163
CG17 17/27	27	12,8	17,50			324	264	251	242	234	229	216	207	197	183	170
CG17 17/28	28	12,8	17,50			336	274	260	251	243	238	224	215	204	190	176
CG17 17/29	29	12,8	17,50			348	284	269	260	252	246	232	223	211	197	182
CG17 17/30	30	15	20,00			360	294	279	269	261	255	240	231	219	204	189
CG17 17/31	31	15	20,00	5" - 6"	Manometrik Yükseklik Manometric Height	372	303	288	278	269	263	248	238	226	210	195
CG17 17/32	32	15	20,00			384	313	297	287	278	272	256	246	233	217	201
CG17 17/33	33	15	20,00			396	323	306	296	287	280	264	254	240	224	207
CG17 25/34	34	18,5	25,00			408	333	316	305	295	289	272	261	248	231	214
CG17 25/35	35	18,5	25,00			420	343	325	314	304	297	280	269	255	238	220
CG17 25/36	36	18,5	25,00			432	353	334	323	313	306	288	277	262	244	226
CG17 25/37	37	18,5	25,00			444	362	344	332	321	314	296	284	270	251	233
CG17 25/38	38	18,5	25,00			456	372	353	341	330	323	304	292	277	258	239
CG17 25/39	39	18,5	25,00			468	382	362	350	339	331	312	300	284	265	245
CG17 25/40	40	18,5	25,00			480	392	372	359	348	340	320	308	292	272	252

YENİ SEPINOX 6"-8"-10" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

NEW SEPINOX 6"-8"-10" Stainless Steel Submersible Pumps

G6 CG25

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m/h	0,00	4,17	5,00	5,83	6,67	7,50	8,33	9,17	10,00
		Kw	Hp	Ø		0,00	15,00	18,00	21,00	24,00	27,00	30,00	33,00	36,00
CG25 075/01	01	0,55	0,75	4"	Manometrik Yükseklik Manometric Height	8	7	7	6	6	5	4	3	2
CG25 015/02	02	1,1	1,50			16	14	14	13	12	10	8	6	4
CG25 02/03	03	1,5	2,00			23	21	20	19	17	15	12	9	6
CG25 03/04	04	2,2	3,00			31	28	27	25	23	20	17	12	8
CG25 04/05	05	3	4,00			39	36	34	32	29	25	21	16	11
CG25 04/06	06	3	4,00			47	43	41	38	35	30	25	19	13
CG25 05/07	07	4	5,50			55	50	47	45	41	35	29	22	15
CG25 05/08	08	4	5,50			62	57	54	51	46	40	33	25	17
CG25 07/09	09	5,5	7,50			70	64	61	57	52	46	37	28	19
CG25 07/10	10	5,5	7,50			78	71	68	64	58	51	41	31	21
CG25 07/11	11	5,5	7,50			86	78	74	70	64	56	46	34	23
CG25 10/12	12	7,5	10,00	94		85	81	76	70	61	50	37	25	
CG25 10/13	13	7,5	10,00	101		92	88	83	75	66	54	41	27	
CG25 10/14	14	7,5	10,00	109		99	95	89	81	71	58	44	30	
CG25 10/15	15	7,5	10,00	117		107	101	95	87	76	62	47	32	
CG25 12/16	16	9,3	12,50	125		114	108	102	93	81	66	50	34	
CG25 12/17	17	9,3	12,50	133		121	115	108	99	86	70	53	36	
CG25 12/18	18	9,3	12,50	140		128	122	114	104	91	75	56	38	
CG25 15/19	19	11	15,00	148		135	128	121	110	96	79	59	40	
CG25 15/20	20	11	15,00	156		142	135	127	116	101	83	62	42	
CG25 15/21	21	11	15,00	164		149	142	134	122	106	87	66	44	
CG25 15/22	22	11	15,00	172		156	149	140	127	111	91	69	47	
CG25 17/23	23	12,8	17,50	179		163	156	146	133	116	95	72	49	
CG25 17/24	24	12,8	17,50	187		170	162	153	139	121	100	75	51	
CG25 17/25	25	12,8	17,50	195		178	169	159	145	127	104	78	53	
CG25 20/26	26	15	20,00	203		185	176	165	151	132	108	81	55	
CG25 20/27	27	15	20,00	211		192	183	172	156	137	112	84	57	
CG25 20/28	28	15	20,00	218		199	189	178	162	142	116	87	59	
CG25 20/29	29	15	20,00	226		206	196	184	168	147	120	91	61	
CG25 25/30	30	18,5	25,00	234		213	203	191	174	152	124	94	63	
CG25 25/31	31	18,5	25,00	242		220	210	197	180	157	129	97	66	
CG25 25/32	32	18,5	25,00	249		227	216	203	185	162	133	100	68	
CG25 25/33	33	18,5	25,00	257		234	223	210	191	167	137	103	70	
CG25 25/34	34	18,5	25,00	265		241	230	216	197	172	141	106	72	
CG25 25/35	35	18,5	25,00	273		249	237	223	203	177	145	109	74	
CG25 25/36	36	18,5	25,00	281		256	243	229	209	182	149	112	76	
CG25 30/37	37	22	30,00	288		263	250	235	214	187	153	116	78	
CG25 30/38	38	22	30,00	296		270	257	242	220	192	158	119	80	

G6 CG30

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		Ø	lt/s m³/h	0,00	4,44	5,00	6,11	6,67	7,22	7,78	8,33	8,89	10,00	10,56
		Kw	Hp			0,00	16	18	22	24	26	28	30	32	36	38
CG30 03/01	01	0,75	1,00	4"	Manometrik Yükseklik Manometric Height	10	9	9	9	8	8	8	7	7	5	5
CG30 03/02	02	1,5	2,00			19	19	18	17	16	16	15	14	13	11	9
CG30 03/03	03	2,2	3,00			29	28	28	26	25	24	23	21	20	16	14
CG30 04/04	04	3	4,00			39	38	37	34	33	32	30	28	26	21	18
CG30 05/05	05	4	5,50	4" - 5" - 6"		49	47	46	43	41	40	38	35	32	27	23
CG30 07/06	06	4	5,50			59	56	55	52	49	48	45	42	39	32	27
CG30 07/07	07	5,5	7,50			68	66	64	60	57	56	53	49	46	37	32
CG30 10/08	08	7,5	10,00			78	75	74	69	66	64	60	56	52	42	36
CG30 10/09	09	7,5	10,00			88	85	83	77	74	72	68	63	59	48	41
CG30 10/10	10	7,5	10,00			98	94	92	86	82	80	75	70	65	53	45
CG30 12/11	11	9,2	12,50			108	103	101	95	90	88	83	77	72	58	50
CG30 12/12	12	9,2	12,50			117	113	110	103	98	96	90	84	78	64	54
CG30 15/13	13	11	15,00			127	122	120	112	107	104	98	91	85	69	59
CG30 15/14	14	11	15,00			137	132	129	120	115	112	105	98	91	74	63
CG30 15/15	15	11	15,00			147	141	138	129	123	120	113	105	98	80	68
CG30 17/16	16	12,8	17,50	157		150	147	138	131	128	120	112	104	85	72	
CG30 17/17	17	12,8	17,50	166		160	156	146	139	136	128	119	111	90	77	
CG30 20/18	18	15	20,00	173		169	166	155	148	144	135	126	117	95	81	
CG30 20/19	19	15	20,00	182		179	175	163	156	152	143	133	124	101	86	
CG30 20/20	20	15	20,00	191		188	184	172	164	160	150	140	130	106	90	
CG30 25/21	21	18,5	25,00	200		197	193	181	172	168	158	147	137	111	95	
CG30 25/22	22	18,5	25,00	210		207	202	189	180	176	165	154	143	117	99	
CG30 25/23	23	18,5	25,00	218		216	212	198	189	184	173	161	150	122	104	
CG30 25/24	24	18,5	25,00	228		226	221	206	197	192	180	168	156	127	108	
CG30 25/25	25	18,5	25,00	236		235	230	215	205	200	188	175	163	133	113	

YENİ SEPINOX 6" - 8" - 10" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

NEW SEPINOX 6" - 8" - 10" Stainless Steel Submersible Pumps

G6 CG30

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			lt/s m³/h	0,00	4,44	5,00	6,11	6,67	7,22	7,78	8,33	8,89	10,00	10,56
		Kw	Hp	Ø		0,00	16	18	22	24	26	28	30	32	36	38
CG30 30/26	26	22	30,00	5"-6"-7"-8" Manometrik Yükseklik Manometric Height	246	244	239	224	213	208	195	182	169	138	117	
CG30 30/27	27	22	30,00		254	254	248	232	221	216	203	189	176	143	122	
CG30 30/28	28	22	30,00		264	263	258	241	230	224	210	196	182	148	126	
CG30 30/29	29	22	30,00		273	273	267	249	238	232	218	203	189	154	131	
CG30 30/30	30	22	30,00		284	282	276	258	246	240	225	210	195	159	135	
CG30 35/31	31	26	35,00		294	291	285	267	254	248	233	217	202	164	140	
CG30 35/32	32	26	35,00		303	301	294	275	262	256	240	224	208	170	144	
CG30 35/33	33	26	35,00		313	310	304	284	271	264	248	231	215	175	149	
CG30 35/34	34	26	35,00		323	320	313	292	279	272	255	238	221	180	153	
CG30 40/35	35	30	40,00		333	329	322	301	287	280	263	245	228	186	158	
CG30 40/36	36	30	40,00		343	338	331	310	295	288	271	252	235	191	163	
CG30 40/37	37	30	40,00		8"-7" 352	348	340	318	303	296	278	259	241	197	167	

G6 CG35

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		Ø	lt/s m³/h	0,00	6,67	7,50	8,33	9,17	10,00	10,83	11,67	12,50	13,33	14,17
		Kw	Hp			0,00	24	27	30	33	36	39	42	45	48	51
CG35 015/01	01	1,1	1,50	4"	Manometrik Yükseklik Manometric Height	11	10	9	9	8	8	8	7	6	6	5
CG35 03/02	02	2,2	3,00			23	19	19	18	17	16	15	14	13	12	11
CG35 05/03	03	4	5,50			34	29	28	26	25	24	23	21	19	18	16
CG35 05/04	04	4	5,50			46	39	37	35	34	32	30	28	26	24	21
CG35 07/05	05	5,5	7,50	4"-5"-6"		57	49	46	44	42	40	38	35	32	30	26
CG35 10/06	06	7,5	10,00			68	58	56	53	51	48	45	42	39	36	32
CG35 10/07	07	7,5	10,00			80	68	65	61	59	56	53	49	45	41	37
CG35 12/08	08	9,3	12,50			91	78	74	70	68	64	60	56	52	47	42
CG35 15/09	09	11	15,00	5"-6"		103	87	84	79	76	71	68	63	58	53	48
CG35 15/10	10	11	15,00			114	97	93	88	84	79	75	70	65	59	53
CG35 17/11	11	12,8	17,50			126	107	102	97	93	87	83	77	71	65	58
CG35 17/12	12	12,8	17,50			137	116	112	105	101	95	90	84	78	71	63
CG35 20/13	13	15	20,00	5"-6"		148	126	121	114	110	103	98	91	84	77	69
CG35 20/14	14	15	20,00			160	136	130	123	118	111	105	99	91	83	74
CG35 25/15	15	18,5	25,00			171	146	139	132	127	119	113	106	97	89	79
CG35 25/16	16	18,5	25,00			183	155	149	140	135	127	120	113	104	95	85
CG35 25/17	17	18,5	25,00	6"		194	165	158	149	144	135	128	120	110	101	90
CG35 25/18	18	18,5	25,00			205	175	167	158	152	143	135	127	117	107	95
CG35 30/19	19	22	30,00			217	184	177	167	161	151	143	134	123	113	100
CG35 30/20	20	22	30,00	5"-6" 7"-8"		228	194	186	176	169	159	150	141	130	119	106
CG35 30/21	21	22	30,00			240	204	195	184	177	167	158	148	136	124	111
CG35 35/22	22	26	35,00			251	214	205	193	186	175	165	155	143	130	116
CG35 35/23	23	26	35,00			262	223	214	202	194	183	173	162	149	136	122
CG35 35/24	24	26	35,00	6"		274	233	223	211	203	191	180	169	156	142	127
CG35 35/25	25	26	35,00			285	243	232	219	211	199	188	176	162	148	132
CG35 40/26	26	30	40,00			297	252	242	228	220	206	195	183	169	154	137
CG35 40/27	27	30	40,00			308	262	251	237	228	214	203	190	175	160	143
CG35 40/28	28	30	40,00	6"-7"-8"		320	272	260	246	237	222	210	197	182	166	148
CG35 40/29	29	30	40,00			331	282	270	255	245	230	218	204	188	172	153

YENİ SEPINOX 6"-8"-10" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

NEW SEPINOX 6"-8"-10" Stainless Steel Submersible Pumps

G6 CG46

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		It/s m³/h	0,00	10,00	10,56	11,11	11,67	12,22	12,78	13,33	13,89	15,00	16,11
		Kw	Hp												
CG46 02/01	01	1,5	2,00	4"	13	10	10	9	9	9	9	8	8	7	6
CG46 04/02	02	3	4,00	4"	26	20	19	19	18	18	17	17	16	15	12
CG46 07/03	03	5,5	7,50	4"-6"	39	29	29	28	27	26	26	25	24	22	19
CG46 10/04	04	7,5	10,00	4"-6"	52	39	38	37	36	35	34	33	32	29	25
CG46 10/05	05	7,5	10,00	4"-6"	65	49	48	47	46	44	43	42	40	37	31
CG46 12/06	06	9,3	12,50	4"-6"	78	59	57	56	55	53	51	50	48	44	37
CG46 15/07	07	11	15,00	6"	91	69	67	65	64	62	60	58	56	51	43
CG46 17/08	08	12,8	17,50	6"	104	78	76	74	73	70	68	66	64	58	50
CG46 20/09	09	15	20,00	6"	117	88	86	84	82	79	77	75	72	66	56
CG46 20/10	10	15	20,00	6"	130	98	95	93	91	88	85	83	80	73	62
CG46 25/11	11	18,5	25,00	6"-8"	143	108	105	102	100	97	94	91	88	80	68
CG46 25/12	12	18,5	25,00	6"-8"	156	118	114	112	109	106	102	100	96	88	74
CG46 30/13	13	22	30,00	6"-8"	169	127	124	121	118	114	111	108	104	95	81
CG46 30/14	14	22	30,00	6"-8"	182	137	133	130	127	123	119	116	112	102	87
CG46 30/15	15	22	30,00	6"-8"	195	147	143	140	137	132	128	125	120	110	93
CG46 35/16	16	26	35,00	6"	208	157	152	149	146	141	136	133	128	117	99
CG46 35/17	17	26	35,00	6"	221	167	162	158	155	150	145	141	136	124	105
CG46 40/18	18	30	40,00	6"-8"	234	176	171	167	164	158	153	149	144	131	112
CG46 40/19	19	30	40,00	6"-8"	247	186	181	177	173	167	162	158	152	139	118
CG46 40/20	20	30	40,00	6"-8"	260	196	190	186	182	176	170	166	160	146	124
CG46 50/21	21	37	50,00	6"-8"	273	206	200	195	191	185	179	174	168	153	130
CG46 50/22	22	37	50,00	6"-8"	286	216	209	205	200	194	187	183	176	161	136
CG46 50/23	23	37	50,00	6"-8"	299	225	219	214	209	202	196	191	184	168	143
CG46 50/24	24	37	50,00	6"-8"	312	235	228	223	218	211	204	199	192	175	149
CG46 50/25	25	37	50,00	6"-8"	325	245	238	233	228	220	213	208	200	183	155

G6 CG60

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor		It/s m³/h	0,00	8,33	10,00	11,67	13,33	15,00	16,67	18,33	20,00	21,67	
		Kw	Hp												
CG60 02/01	01	1,5	2,00	4"	11	10	9	9	8	8	7	6	5	4	
CG60 07/02	02	3	4,00	4"	22	20	19	18	17	15	13	11	9	7	
CG60 07/03	03	5,5	7,50	4"-6"	33	30	28	27	25	23	20	17	14	11	
CG60 10/04	04	7,5	10,00	4"-6"	44	40	37	36	33	30	27	23	19	14	
CG60 10/05	05	7,5	10,00	4"-6"	55	51	47	43	40	36	32	28	23	17	
CG60 12/06	06	9,3	12,50	6"	65	61	56	50	47	43	38	32	27	20	
CG60 15/07	07	11	15,00	6"	76	71	65	58	54	49	43	37	31	23	
CG60 15/08	08	11	15,00	6"	87	81	74	65	61	55	49	42	35	26	
CG60 17/09	09	12,8	17,50	6"	98	91	84	73	68	61	54	47	39	29	
CG60 20/10	10	15	20,00	6"-8"	109	101	93	83	77	69	61	53	44	33	
CG60 25/11	11	18,5	25,00	6"-8"	120	111	102	93	86	77	68	59	49	37	
CG60 25/12	12	18,5	25,00	6"-8"	131	121	112	103	95	85	75	65	54	41	
CG60 25/13	13	18,5	25,00	6"-8"	142	131	121	113	104	93	82	71	59	45	
CG60 30/14	14	22	30,00	6"-8"	153	141	130	123	113	101	89	77	64	50	
CG60 30/15	15	22	30,00	6"-8"	164	152	140	133	122	109	100	83	69	54	
CG60 35/16	16	26	35,00	6"	174	162	149	141	130	117	103	89	74	57	
CG60 35/17	17	26	35,00	6"	185	172	158	150	138	125	110	95	79	61	
CG60 35/18	18	26	35,00	6"-8"	196	182	167	159	146	132	117	100	84	65	
CG60 40/19	19	30	40,00	6"-8"	207	192	177	167	155	140	124	106	89	69	
CG60 40/20	20	30	40,00	6"-8"	218	202	186	176	163	147	131	112	94	73	
CG60 40/21	21	30	40,00	6"-8"	229	212	195	185	171	155	137	118	99	77	
CG60 50/22	22	37	50,00	6"-8"	240	222	205	193	179	163	144	124	104	81	
CG60 50/23	23	37	50,00	6"-8"	251	232	214	202	187	170	151	130	109	84	
CG60 50/24	24	37	50,00	6"-8"	262	242	223	211	196	178	158	136	114	88	
CG60 50/25	25	37	50,00	6"-8"	273	253	233	219	204	185	165	142	119	92	

YENİ SEPINOX 6" - 8" - 10" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

NEW SEPINOX 6" - 8" - 10" Stainless Steel Submersible Pumps

G6 CG75

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			lt/s m³/h	0,00	11,67	15,00	17,78	19,44	20,83	22,22	23,33	25,00	26,67	
		Kw	Hp	Ø		0,00	42	54	64	70	75	80	84	90	96	
CG75 04/01	01	3	4,00	4"	Manometrik Yükseklik Manometric Height	16	11	11	10	9	8	7	7	6	4	
CG75 07/02	02	5,5	7,50	4"- 6"		32	23	21	20	19	17	15	13	11	9	
CG75 10/03	03	7,5	10,00			49	34	32	30	28	25	22	20	17	13	
CG75 15/04	04	11	15,00			65	45	43	40	37	33	30	27	22	17	
CG75 17/05	05	12,8	17,50			81	56	53	49	47	41	37	34	28	21	
CG75 20/06	06	15	20,00	5"- 6"		97	68	64	59	56	50	45	40	33	26	
CG75 25/07	07	18,5	25,00			113	79	74	69	65	58	52	47	39	30	
CG75 25/08	08	18,5	25,00			130	90	85	79	74	66	60	54	45	34	
CG75 30/09	09	22	30,00	6"- 8"		146	102	96	89	84	75	67	60	50	39	
CG75 35/10	10	26	35,00	6"		162	113	106	99	93	83	74	67	56	43	
CG75 40/11	11	30	40,00			178	124	117	109	102	91	82	74	61	47	
CG75 40/12	12	30	40,00			194	135	128	119	112	99	89	81	67	51	
CG75 50/13	13	37	50,00			210	147	138	128	121	108	97	87	72	56	
CG75 50/14	14	37	50,00			227	158	149	138	130	116	104	94	78	60	
CG75 50/15	15	37	50,00			243	169	160	148	140	124	112	101	84	64	
CG75 60/16	16	45	60,00			259	180	170	158	149	133	119	107	89	69	
CG75 60/17	17	45	60,00			275	192	181	168	158	141	127	114	95	73	
CG75 60/18	18	45	60,00			291	203	191	178	167	149	134	121	100	77	

G6 CG90

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			lt/s m³/h	0,00	20,83	23,33	25,00	26,67	27,78	29,17	30,56	31,94	33,33	
		Kw	Hp	Ø		0,00	75	84	90	96	100	105	110	115	120	
CG90 05/01	01	4	5,50	4"- 6"	Manometrik Yükseklik Manometric Height	15	11	11	10	9	9	8	8	7	6	
CG90 10/02	02	7,5	10,00			31	22	21	20	19	18	17	16	14	13	
CG90 15/03	03	11	15,00			46	33	32	30	28	27	25	23	21	19	
CG90 20/04	04	15	20,00	5"- 6"		62	44	42	40	38	36	33	31	28	25	
CG90 25/05	05	18,5	25,00			77	55	53	50	47	45	42	39	35	31	
CG90 30/06	06	22	30,00	6"- 8"		93	66	63	60	57	54	50	47	42	38	
CG90 35/07	07	26	35,00	6"		108	77	74	70	66	63	59	55	50	44	
CG90 40/08	08	30	40,00			124	88	84	80	76	72	67	62	57	50	
CG90 50/09	09	37	50,00			139	98	95	90	85	81	75	70	64	56	
CG90 50/10	10	37	50,00			155	109	105	100	95	90	84	78	71	63	
CG90 60/11	11	45	60,00			170	120	116	110	104	99	92	86	78	69	
CG90 60/12	12	45	60,00			186	131	126	120	113	108	100	94	85	75	

YENİ SEPINOX 6"-8"-10" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

NEW SEPINOX 6"-8"-10" Stainless Steel Submersible Pumps

G8 CG77

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m³/h	0,00	16,67	17,78	18,89	20,00	21,11	22,22	23,33	24,44	26,67	28,89
		Kw	Hp	Ø		0,00	60	64	68	72	76	80	84	88	96	104
CG77 05/01	01	4	5,50	6"	Manometrik Yükseklik Manometric Height	19	14	13	13	13	12	12	11	11	9	8
CG77 10/02	02	7,5	10,00			36	27	26	26	25	24	23	22	21	19	16
CG77 15/03	03	11	15,00			55	41	40	39	38	37	35	34	32	28	24
CG77 17/04	04	12,8	17,50			72	55	54	52	51	49	46	45	42	38	32
CG77 25/05	05	18,5	25,00			92	69	67	65	64	61	58	56	53	47	40
CG77 30/06	06	22	30,00	6"- 8"		110	82	80	78	76	73	70	67	64	56	48
CG77 35/07	07	26	35,00			129	96	94	91	89	85	81	78	74	66	56
CG77 35/08	08	26	35,00	6"		148	110	107	104	102	98	93	90	85	75	64
CG77 40/09	09	30	40,00			165	123	121	117	114	110	104	101	95	85	72
CG77 50/10	10	37	50,00	6"- 8"		184	137	134	130	127	122	116	112	106	94	80
CG77 50/11	11	37	50,00			203	151	147	143	140	134	128	123	117	103	88
CG77 60/12	12	45	60,00			220	164	161	156	152	146	139	134	127	113	96
CG77 60/13	13	45	60,00			233	178	174	169	165	159	151	146	138	122	104
CG77 70/14	14	51,5	70,00	8"		247	192	188	182	178	171	162	157	148	132	112
CG77 70/15	15	51,5	70,00			265	206	201	195	191	183	174	168	159	141	120
CG77 75/16	16	55	75,00			294	219	214	208	203	195	186	179	170	150	128
CG77 75/17	17	55	75,00			313	233	228	221	216	207	197	190	180	160	136
CG77 80/18	18	55	75,00			332	247	241	234	229	220	209	202	191	169	144
CG77 90/19	19	66,2	90,00			349	260	255	247	241	232	220	213	201	179	152
CG77 90/20	20	66,2	90,00			368	274	268	260	254	244	232	224	212	188	160
CG77 100/21	21	73,6	100,00			387	288	281	273	267	256	244	235	223	197	168
CG77 100/22	22	73,6	100,00			406	301	295	286	279	268	255	246	233	207	176

G8 CG95

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			It/s m³/h	0,00	17,78	20,00	22,22	23,33	24,44	25,56	26,67	28,89	31,11	33,33
		Kw	Hp	Ø		0,00	64	72	80	84	88	92	96	104	112	120
CG95 07/01	01	5,5	7,5	6"	Manometrik Yükseklik Manometric Height	25	19	18	17	17	17	16	15	14	12	10
CG95 15/02	02	11	15			49	37	36	35	34	33	32	30	27	24	20
CG95 20/03	03	15	20			74	56	54	52	51	50	48	46	41	36	30
CG95 30/04	04	22	30	6"- 8"		98	75	72	69	68	66	64	61	55	48	40
CG95 35/05	05	26	35	6"		123	93	90	87	85	83	80	76	68	59	50
CG95 50/06	06	37	50	6"- 8"		147	112	107	104	102	100	96	91	82	71	60
CG95 50/07	07	37	50			172	130	125	121	119	116	112	106	96	83	70
CG95 60/08	08	45	60			196	149	143	139	136	133	128	122	110	95	80
CG95 60/09	09	52	70	8"		221	168	161	156	153	149	144	137	123	107	90
CG95 60/10	10	52	70			245	186	179	173	170	166	160	152	137	119	100
CG95 80/11	11	59	80			270	205	197	191	188	183	175	167	151	131	110
CG95 90/12	12	67	90			294	224	215	208	205	199	191	182	164	143	120
CG95 100/13	13	75	100	8"-10"		319	242	233	225	222	216	207	198	178	154	130
CG95 100/14	14	75	100			343	261	251	243	239	232	223	213	192	166	140
CG95 110/15	15	80	110			368	279	269	260	256	249	239	228	205	178	150
CG95 125/16	16	92	125			392	298	287	277	273	266	255	243	219	190	160
CG95 125/17	17	92	125			417	317	305	295	290	282	271	258	233	202	170
CG95 150/18	18	110	150			441	335	322	312	307	299	287	273	247	214	180
CG95 150/19	19	110	150			466	354	340	329	324	316	303	289	260	226	190
CG95 150/20	20	110	150			490	373	358	346	341	332	319	304	274	238	200
CG95 150/21	21	110	150			515	391	376	364	358	349	335	319	288	250	210

G10 CG110

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			Ø	It/s m³/h	0,00	21,67	23,33	25,00	27,78	30,00	31,94	34,72	37,50	40,28	
		Kw	Hp														
CG110 10/01	01	7,5	10	6"- 8"	Manometrik Yükseklik Manometric Height	25	22	21	20	20	19	18	16	15	13		
CG110 20/02	02	15	20			50	43	42	41	39	37	36	32	29	27		
CG110 30/03	03	22	30			74	65	62	61	59	56	53	49	44	40		
CG110 40/04	04	30	40			99	86	83	81	79	74	71	65	58	54		
CG110 50/05	05	37	50			124	108	104	102	99	93	89	81	73	67		
CG110 60/06	06	45	60			149	129	125	122	118	111	107	97	88	80		
CG110 70/07	07	52	70	8"		173	151	145	142	138	130	125	114	102	94		
CG110 80/08	08	59	80			198	172	166	163	158	148	142	130	117	107		
CG110 90/09	09	66	90			223	194	187	183	178	167	160	146	131	121		
CG110 100/10	10	74	100			248	215	208	203	197	185	178	162	146	134		
CG110 110/11	11	81	110			273	237	228	224	217	204	196	179	161	148		
CG110 125/12	12	90	125			8"- 10"	297	258	249	244	237	222	213	195	175	161	
CG110 150/13	13	110	150	322			280	270	265	257	241	231	211	190	174		
CG110 150/14	14	110	150	347			301	291	285	276	259	243	227	204	188		
CG110 150/15	15	110	150	372			323	311	305	296	278	267	244	219	201		

YENİ SEPINOX 6" - 8" - 10" Paslanmaz Çelik Gövdeli Dalgıç Pompalar

NEW SEPINOX 6" - 8" - 10" Stainless Steel Submersible Pumps

G10 CG125

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			lt/s m³/h	0,00	22,22	25,00	27,78	30,56	33,33	34,72	36,11	37,50	38,89	40,28	41,67	
		Kw	Hp	Ø		0,00	80	90	100	110	120	125	130	135	140	145	150	
CG125 10/01S	01	7,5	10,00	6"	Manometrik Yükseklik Manometric Height	25	21	20	20	18	17	16	16	15	14	13	11	
CG125 15/01	01	11	15,00			29	25	24	23	22	21	21	20	19	18	18	17	
CG125 20/02S	02	15	20,00			53	46	45	43	41	38	37	36	34	32	31	28	
CG125 30/02	02	22	30,00	6"-8"		57	50	49	47	45	43	41	40	38	37	36	34	
CG125 35/03SS	03	26	35,00	6"		78	68	65	63	59	56	53	51	48	46	45	40	
CG125 40/03	03	30	40,00	6"-8"		86	76	73	70	67	64	62	60	58	55	53	50	
CG125 50/04S	04	37	50,00			111	97	94	90	86	81	78	76	72	69	67	62	
CG125 60/04	04	45	60,00			115	101	98	94	90	85	83	80	77	74	71	67	
CG125 60/05SS	05	45	60,00	8"		136	118	114	110	104	98	94	91	87	83	80	73	
CG125 70/05	05	52	70,00			144	126	122	117	112	107	103	100	96	92	89	84	
CG125 75/06SS	06	55	75,00			164	143	138	133	127	120	115	111	106	102	98	90	
CG125 80/06	06	59	80,00	8"-10"		172	151	146	140	134	128	124	120	115	111	107	101	
CG125 90/07S	07	67	90,00			197	173	167	160	153	145	140	136	130	125	120	113	
CG125 100/07	07	75	100,00			201	176	171	164	157	150	144	140	134	129	125	118	
CG125 100/08SS	08	75	100,00	8"-10"		222	194	187	180	171	162	156	151	144	139	134	124	
CG125 110/08	08	80	110,00			230	202	195	187	179	171	165	160	153	148	143	135	
CG125 110/09SSS	09	80	110,00			247	215	208	200	190	180	173	167	159	153	147	136	
CG125 125/09	09	92	125,00	8"-10"		258	227	220	211	202	192	186	180	173	166	160	152	
CG125 125/10SS	10	92	125,00			279	244	236	227	216	205	198	191	183	176	169	158	
CG125 150/10	10	110	150,00			287	252	244	234	224	214	206	200	192	185	178	169	
CG125 150/11	11	110	150,00	8"-10"		316	277	269	257	247	235	227	220	211	203	196	186	
CG125 150/12SSS	12	110	150,00			333	291	281	270	257	244	234	227	216	208	201	187	

G10 CG165

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			lt/s m³/h	0,00	33,33	36,11	38,89	41,67	43,06	44,44	45,83	47,22	50,00	52,78	55,56
		Kw	Hp	Ø		0,00	120	130	140	150	155	160	165	170	180	190	200
CG165 12/01S	01	9,3	12,50	6"	Manometrik Yükseklik Manometric Height	28	19	18	18	16	15	15	15	14	12	10	9
CG165 15/01	01	11	15,00			32	23	22	22	21	20	20	19	19	17	16	13
CG165 25/02SS	02	18,5	25,00			56	38	37	35	33	31	30	29	27	24	21	18
CG165 30/02	02	22	30,00	6"-8"		63	46	45	43	42	41	40	38	37	34	31	26
CG165 40/03SS	03	30	40,00			87	61	59	57	54	51	50	48	46	42	36	31
CG165 50/03	03	37	50,00			95	68	67	65	62	61	60	58	56	51	47	40
CG165 60/04	04	45	60,00	6"-8"		126	91	89	86	83	82	79	77	74	68	63	53
CG165 70/05SS	05	52	70,00			151	107	104	100	95	92	90	87	83	76	68	57
CG165 75/05	05	55	75,00			158	114	111	108	104	102	99	96	93	86	78	66
CG165 80/06SSS	06	59	80,00	8"		179	126	122	118	112	108	105	101	97	88	78	66
CG165 90/06	06	67	90,00			190	137	134	129	125	123	119	115	111	103	94	79
CG165 100/07SS	07	75	100,00			214	152	148	143	137	133	129	125	120	110	99	84
CG165 110/07	07	80	110,00	8"-10"		221	160	156	151	145	143	139	135	130	120	109	92
CG165 125/08	08	92	125,00			253	182	178	173	166	164	159	154	149	137	125	106
CG165 125/09SSS	09	92	125,00			273	194	189	182	174	169	164	159	153	139	125	106
CG165 150/09	09	110	150,00	8"-10"		284	205	200	194	187	184	179	173	167	154	141	119
CG165 150/10	10	110	150,00			316	228	223	216	208	204	199	192	186	171	156	132

G10 CG215

POMPA SEÇİM TABLOSU / PUMP SELECTION TABLE 50 Hz

Pompa Tipi Pump Type	Kad. Stage	Motor			lt/s m³/h	0,00	41,67	47,22	52,78	55,56	56,94	58,33	59,72	61,11	62,50	63,89	69,44	75,00
		Kw	Hp	Ø		0,00	150	170	190	200	205	210	215	220	225	230	250	270
CG215 20/01S	01	15	20,00	6"	Manometrik Yükseklik Manometric Height	36	26	24	22	21	20	20	19	19	18	17	14	10
CG215 25/01	01	18,5	25,00			42	31	29	27	27	26	26	25	24	24	23	20	16
CG215 40/02SS	02	30	40,00			71	51	48	45	42	41	40	39	38	36	35	27	20
CG215 50/02	02	37	50,00	6"-8"		84	61	57	55	53	52	51	50	49	48	46	40	33
CG215 60/03SSS	03	45	60,00			107	77	72	67	63	61	60	58	56	55	52	41	30
CG215 70/03S	03	52	70,00			119	87	81	77	74	73	71	69	68	66	63	54	43
CG215 75/03	03	55	75,00	8"		126	92	86	82	80	78	77	75	73	72	69	60	49
CG215 80/04SSS	04	59	80,00			142	103	96	89	85	82	79	78	75	73	69	55	40
CG215 90/04SS	04	67	90,00			155	113	105	99	95	93	91	89	87	84	81	68	53
CG215 100/04	04	75	100,00	8"-10"		168	122	115	109	106	105	103	100	98	96	92	80	66
CG215 110/05SSS	05	80	110,00			190	138	129	122	116	114	111	108	105	103	98	81	63
CG215 125/05	05	92	125,00			209	153	143	137	133	131	128	125	122	120	116	100	82
CG215 150/06	06	110	150,00	8"-10"		251	184	172	164	159	157	154	150	147	144	139	121	99
CG215 180/07	07	132	180,00			293	214	200	191	186	183	179	175	171	168	162	141	115
CG215 200/08	08	147	200,00			335	245	229	219	212	209	205	200	196	192	185	161	131
CG215 225/09	09	165	225,00	10"		377	276	258	246	239	235	231	225	221	216	208	181	147
CG215 250/10	10	185	250,00			419	306	286	273	265	261	256	250	245	240	231	201	164

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Тверь (4822)63-31-35
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Челябинск (351)202-03-61
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Чита (3022)38-34-83
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81		Тамбов (4752)50-40-97	Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.sep.nt-rt.ru | | spj@nt-rt.ru